



# Videos of Turbines, Development Tech of Infinity Turbine LLC

Infinity Turbine  
LLC

[ TEL ] 608-238-6001

[ Email ] greg@infinityturbine.com

<https://infinityturbine.com/videos-of-turbines-development-tech-of-infinity-turbine.html>

Videos of Turbines, Development and Technology from Infinity Turbine LLC




This webpage QR code

PDF Version of the webpage (maximum 10 pages)

---

## Infinity Turbine: Tesla One Way Valve Valvular Conduit (reverse 4) CFD Computational Fluid Dynamics

Originally designed by Nikola Tesla, the one way valve (or valvular conduit) and was patented in 1916 under US patent US1329559A. From the patent: The high efficiency of the device, irrespective of the character of the pulses, is due to two causes: first, rapid reversal of direction of flow and second great relative velocity of the colliding fluid columns. As will be readily seen each bucket causes a deviation through an angle of 180, and another change of 180 occurs in each of the spaces between two adjacent buckets. That is to say, from the time the fluid enters or leaves one of the recesses to its passage into, or exit from, the one following a complete cycle, or deflection through 360, is effected. Observe now that the velocity is but slightly reduced in the reversal so that the incoming and deflected fluid columns meet with a relative speed, twice that of the flow, and the energy of their impact is four times greater than with a deflection of only 90, as might be obtained with pockets such as have been employed in asymmetrical conduits for various purposes. The fact is, however, that in these such deflection is not secured, the pockets remaining filled with comparatively quiescent fluid and the latter following a winding path of least resistance between the obstacles interposed. In such conduits the action cannot be characterized as valvular because some of the fluid can pass almost unimpeded in a direction opposite to the normal flow. In my construction, as above indicated, the resistance in the reverse may be 200 times that in the normal direction. Owing to this a comparatively very small number of buckets or elements is required for checking the fluid. To give a concrete idea, suppose that the leak from the first element is represented by the fraction then after the-nth bucket is traversed, only a quantity will escape and it is evident that X need not be a large number to secure a nearly perfect valvular action.





## **Infinity Turbine: Tesla One Way Valve Valvular Conduit (reverse 3) CFD Computational Fluid Dynamics**

Originally designed by Nikola Tesla, the one way valve (or valvular conduit) and was patented in 1916 under US patent US1329559A. From the patent: The high efficiency of the device, irrespective of the character of the pulses, is due to two causes: first, rapid reversal of direction of flow and second great relative velocity of the colliding fluid columns. As will be readily seen each bucket causes a deviation through an angle of 180, and another change of 180 occurs in each of the spaces between two adjacent buckets. That is to say, from the time the fluid enters or leaves one of the recesses to its passage into, or exit from, the one following a complete cycle, or deflection through 360, is effected. Observe now that the velocity is but slightly reduced in the reversal so that the incoming and deflected fluid columns meet with a relative speed, twice that of the flow, and the energy of their impact is four times greater than with a deflection of only 90, as might be obtained with pockets such as have been employed in asymmetrical conduits for various purposes. The fact is, however, that in these such deflection is not secured, the pockets remaining filled with comparatively quiescent fluid and the latter following a winding path of least resistance between the obstacles interposed. In such conduits the action cannot be characterized as valvular because some of the fluid can pass almost unimpeded in a direction opposite to the normal flow. In my construction, as above indicated, the resistance in the reverse may be 200 times that in the normal direction. Owing to this a comparatively very small number of buckets or elements is required for checking the fluid. To give a concrete idea, suppose that the leak from the first element is represented by the fraction then after the-nth bucket is traversed, only a quantity will escape and it is evident that X need not be a large number to secure a nearly perfect valvular action.

## Infinity Turbine: Tesla One Way Valve Valvular Conduit (reverse 3) CFD Computational Fluid Dynamics

Originally designed by Nikola Tesla, the one way valve (or valvular conduit) and was patented in 1916 under US patent US1329559A. From the patent: The high efficiency of the device, irrespective of the character of the pulses, is due to two causes: first, rapid reversal of direction of flow and second great relative velocity of the colliding fluid columns. As will be readily seen each bucket causes a deviation through an angle of 180, and another change of 180 occurs in each of the spaces between two adjacent buckets. That is to say, from the time the fluid enters or leaves one of the recesses to its passage into, or exit from, the one following a complete cycle, or deflection through 360, is effected. Observe now that the velocity is but slightly reduced in the reversal so that the incoming and deflected fluid columns meet with a relative speed, twice that of the flow, and the energy of their impact is four times greater than with a deflection of only 90, as might be obtained with pockets such as have been employed in asymmetrical conduits for various purposes. The fact is, however, that in these such deflection is not secured, the pockets remaining filled with comparatively quiescent fluid and the latter following a winding path of least resistance between the obstacles interposed. In such conduits the action cannot be characterized as valvular because some of the fluid can pass almost unimpeded in a direction opposite to the normal flow. In my construction, as above indicated, the resistance in the reverse may be 200 times that in the normal direction. Owing to this a comparatively very small number of buckets or elements is required for checking the fluid. To give a concrete idea, suppose that the leak from the first element is represented by the fraction then after the-nth bucket is traversed, only a quantity will escape and it is evident that X need not be a large number to secure a nearly perfect valvular action.







Copyright 5/23/202 Infinity Turbine LLC

## Infinity Turbine: Tesla One Way Valve Valvular Conduit (reverse 2) CFD Computational Fluid Dynamics

Originally designed by Nikola Tesla, the one way valve (or valvular conduit) and was patented in 1916 under US patent US1329559A






Copyright 5/23/202 Infinity Turbine LLC

## Infinity Turbine: Tesla One Way Valve Valvular Conduit (reverse) CFD Computational Fluid Dynamics

Originally designed by Nikola Tesla, the one way valve (or valvular conduit) and was patented in 1916 under US patent US1329559A.






Copyright 5/23/202 Infinity Turbine LLC

## Infinity Turbine: Tesla One Way Valve Valvular Conduit (forward zoom) Computational Fluid Dynamics

Originally designed by Nikola Tesla, the one way valve (or valvular conduit) and was patented in 1916 under US patent US1329559A.






Copyright 5/23/202 Infinity Turbine LLC

## Infinity Turbine: Tesla One Way Valve Valvular Conduit (forward) CFD Computational Fluid Dynamics

Originally designed by Nikola Tesla, the one way valve (or valvular conduit) and was patented in 1916 under US patent US1329559A.








Copyright 5/23/202 Infinity Turbine LLC

## Infinity Turbine: CO2 Tribo Effect Energy Production From Low Grade 31 C or 89 F Waste Heat

Infinity Turbine: CO2 Tribo Effect Energy Production From Low Grade 31 C or 89 F Waste Heat

Testing power generation with carbon dioxide and hybrid plastic. This is a static (solid state) expander generator. The advantages of this type power is that you can use low grade waste heat (89F or 31 C) to make power. Examples include solar thermal, computer server centers (cloud), parking lots, or any other waste heat source.





Copyright 5/23/202 Infinity Turbine LLC

## Infinity Turbine: 2016 ROT Turbine - Compressed Air Testing - Radial Outflow Turbine Air Test

Infinity Turbine: 2016 ROT Turbine - Compressed Air Testing - Radial Outflow Turbine Air Test

Test of ROT (Radial Outflow Turbine) using compressed air and shaft bearing. Expander and housing was machined from metal.

Waste Heat Power: For years we've been hearing requests from customers who would like to use their waste heat to generate power, both on land and marine applications. To meet that demand, we formed Infinity Turbine LLC in 2008 and developed the IT10, the worlds first production 10 kw ORC (Organic Rankine Cycle) waste heat to power generator. New developments in CO2 Brayton Cycle may allow efficiencies to reach 30-50 percent. This is a huge increase from the legacy ORC process which has a system efficiency (bottoming cycle) of 5-15 percent). We now offer a CO2 Turbine Development Platform for educators and energy developers.





Copyright 5/23/2022 Infinity Turbine LLC

## **Infinity Turbine: FogPonics Vertical Grow Light and Irrigation System for Greenhouse and Indoor Grow**

Infinity Turbine: FogPonics Vertical Grow Light and Irrigation System for Greenhouse and Indoor Grow

Developing a vertical growing system for vegetables using red and blue LED lights, and standard plastic tubing for aeroponics grow system. High pressure water is forced through spray nozzles to fog water and nutrients. This method of growing is the most efficient growing method available.



Copyright 5/23/202 Infinity Turbine LLC

## **Infinity Turbine: 2015 Axial Turbine - Compressed Air Testing - Machined Expander**

Infinity Turbine: 2015 Axial Turbine - Compressed Air Testing - Machined Expander

Test of axial flow turbine with DC generator using compressed air and shaft bearing. Expander and housing was machined from metal. Has nice spool up.

Waste Heat Power: For years we've been hearing requests from customers who would like to use their waste heat to generate power, both on land and marine applications. To meet that demand, we formed Infinity Turbine LLC in 2008 and developed the IT10, the worlds first production 10 kw ORC (Organic Rankine Cycle) waste heat to power generator. New developments in CO2 Brayton Cycle may allow efficiencies to reach 30-50 percent. This is a huge increase from the legacy ORC process which has a system efficiency (bottoming cycle) of 5-15 percent). We now offer a CO2 Turbine Development Platform for educators and energy developers.



Copyright 5/23/202 Infinity Turbine LLC